



Project of the month.

October 2018.



Nelson House.

PRIVATE HOME
NELSON, NEW ZEALAND



Nelson is the sunniest part of New Zealand, with conditions that are harsh on exterior walls. For this reason, the homeowner sought a product that would aid in protecting against the strong sun and humidity, and selected WOCA Exterior Oil for their timber cladding. Now, 18 months since the application of the oil, the timber remains in stunning condition.

EXTERIOR



WOCA Exterior Oil is a natural treatment for new and previously oiled outdoor wooden surfaces such as cladding, decks and outdoor furniture. It is a penetrating oil that provides a strong water and dirt-repellent surface, preventing the growth of mould and fungus and making it ideal for use around children and pets. The product is fast-drying and provides UV protection, whilst enhancing the wood's natural colour and grain.

WOCA EXTERIOR OIL WALNUT
CEDAR CLADDING





- Water-based, vegetable oil components
- Natural, sustainable and eco-friendly
- Low VOC (maximum 20g per litre)
- Delays mould and mildew growth
- Fast drying time – 24 hours
- 100% penetrating oil, no flaking/peeling
- Suitable for all exterior timbers

APPLICATION PROCESS

EXTERIOR OIL



1. Stir oil before use. Using a brush, apply a thin, even coat to the clean, dry surface.
2. Wipe off excess product with a clean cotton cloth after no more than 5 minutes, ensuring to remove oil from joints and grooves.
3. Repeat steps 1 and 2, applying a second coat to the timber.
4. When the wood is dry, polish with a polishing machine for an extra hard-wearing surface.

The wood will be hard after 24 to 48 hours, depending on weather conditions. Do not expose to water during this time.



PREPARE • TREAT • MAINTAIN

WOCA @ Design Denmark
12 Maidstone Street
Ponsonby, Auckland
09 361 3333

Jill Hutchinson
bizdev@designdenmark.co.nz
021 978 754
woca.co.nz



wocanewzealand



wocanewzealand